

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|------------------|
| S1 | 359 | 118/dig.11.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/03/16 15:44 |
| S2 | 6 | ("5207833").URPN. | USPAT | OR | ON | 2005/02/16 13:22 |
| S3 | 15 | betteridge.in. and pipe | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/02/25 14:35 |
| S4 | 14 | ("3208868" "5725668" "2357144" "5207833").pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/02/16 14:30 |
| S5 | 22 | 118/dig.11.ccls. and vacuum | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/02/23 09:16 |
| S6 | 3 | 118/dig.11.ccls. and positive adj pressure | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/02/16 14:53 |
| S8 | 2 | "3847353".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/02/22 11:09 |
| S11 | 1 | "4371295".pn. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/02/22 11:26 |
| S12 | 20 | ("4595607").URPN. | USPAT | OR | ON | 2005/02/22 11:52 |
| S13 | 62 | 427/421.1.ccls. and pipe | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/02/22 14:11 |
| S14 | 43 | 427/421.1.ccls. and (pipe tube cylinder) with (exterior outside surface) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/02/22 14:13 |
| S15 | 3 | 118/dig.13.ccls. and vacuum | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/02/22 14:19 |

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S16 | 8 | 427/427.1.ccls. and (pipe tube cylinder) with (exterior outside surface) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/02/22 14:13 |
| S17 | 46 | 427/427.3.ccls. and (pipe tube cylinder) with (exterior outside surface) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/02/22 14:13 |
| S18 | 30 | 427/427.5.ccls. and (pipe tube cylinder) with (exterior outside surface) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/02/22 14:21 |
| S19 | 258 | 427/181.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/02/22 14:20 |
| S20 | 72 | 427/182.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/02/22 14:20 |
| S21 | 79 | S19 and (pipe tube cylinder) with (exterior outside surface) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/02/22 14:21 |
| S22 | 12 | S20 and (pipe tube cylinder) with (exterior outside surface) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/02/22 14:24 |
| S23 | 98 | 427/213.ccls. and (pipe tube cylinder) with (exterior outside surface) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/02/22 14:24 |
| S24 | 12 | ("2357144" "3208868" "5207833" "5725668").pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/02/23 08:53 |
| S25 | 4 | 118/dig.11.ccls. and grit | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/02/23 09:18 |
| S26 | 3 | 118/dig.11.ccls. and quench | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/02/23 09:22 |

| | | | | | | |
|-----|----|--|---|----|----|------------------|
| S27 | 10 | 118/dig.11.ccls. and cooling with water | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/02/23 09:23 |
| S28 | 6 | pipe with coat\$3 near4 quench | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/02/23 09:24 |
| S29 | 16 | pipe with coat\$3 with quench | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/02/23 09:27 |
| S30 | 34 | pipe with coat\$3 same quench | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/02/23 09:27 |
| S31 | 59 | pump with compress\$3 with powder with spray\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/02/25 15:42 |
| S32 | 82 | pump with compress\$3 with spray\$3 with coat\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/02/25 16:41 |
| S33 | 63 | pressure adj feed near2 pump with compress\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/02/25 16:15 |
| S34 | 26 | pressure adj feed near2 pump with coating | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/02/25 16:16 |
| S35 | 35 | positive adj pressure with pump with coat\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/02/25 16:16 |
| S36 | 1 | positive adj pressure with pump with air with coat\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/02/25 16:17 |
| S37 | 7 | positive adj pressure with pump with air with spray\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/02/25 16:33 |

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S38 | 13 | "vacuum displacement pump" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/02/25 16:41 |
| S39 | 1421 | pump with compress\$3 with compressed adj air with fluid | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/02/25 16:52 |
| S40 | 60 | pump with compressed adj air with fluid with spray | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/02/25 16:53 |
| S41 | 77 | 118/dig.11.ccls. and (replac\$7 interchang\$6 change\$5 substitut\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/03/02 09:01 |
| S42 | 286 | 118/305,308,315,319.ccls. and (pipe tube) with (coat\$3 layer film) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/03/16 15:46 |
| S43 | 64 | 118/305,308,315,319.ccls. and (exterior outside surface) near3 (pipe tube) with (coat\$3 layer film) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/03/16 15:47 |
| S44 | 4 | ("3847353").URPN. | USPAT | OR | ON | 2005/03/16 15:48 |